

Suggested Plants, Planting Depths, and Wildlife Benefits

Zone 1. Deep Water (permanent water 1 to 8 feet deep)

Herbaceous

<i>Elaeotrichia canadensis</i>	Watertweed	<i>Habitat</i> - small aquatic life; <i>Food</i> - beaver, redhead
<i>Ceratophyllum spp.</i>	Coontail	<i>Food (plants/seeds)</i> - ducks, coot, geese, grebes, swans, marshbirds, shorebirds, gamebirds, muskrat
<i>Lemna spp.</i>	Duckweed	<i>Food (plants)</i> ducks, coot, sora rail, pheasant, geese, beaver, muskrat, other small mammals
<i>Nymphaea odorata</i>	White Water Lily	<i>Food (stems, roots, seeds)</i> - redhead and canvasback; <i>Food (plants)</i> - beaver, muskrat, porcupine, deer
<i>Vallisneria americana</i>	Wild Celery	<i>Food (leaves/fruits)</i> - ducks, swans, muskrat; <i>Shade, Shelter, Supports insects, Food - fish, aquatic invertebrates</i>

Zone 2. Shallow Water (permanent water 12 to 18 inches deep)

Herbaceous

<i>Nuphar lutea</i>	Spatterdock	<i>Food (seeds)</i> - ring-necked pheasant, wood, and black ducks; <i>Food (plants)</i> - beaver, porcupine, whiterail deer, muskrat; <i>Shade, Shelter, Leaves (habitat)</i> - fish
<i>Nymphaea odorata</i>	White Water Lily	<i>Food (stems, roots, seeds)</i> - redhead and canvasback ducks; <i>Food (plants)</i> - beaver, porcupine, whiterail deer, muskrat
<i>Polygonum amphibium</i>	Water Smartweed	<i>Food (fruit/nuts)</i> - ducks and shorebirds; <i>Food and Cover - fish</i>

Zone 3. Shallow Water (permanent water 6 to 12 inches deep)

Herbaceous

<i>Glyceria canadensis</i>	Rattlesnake Grass	<i>Food</i> - waterfowl, muskrat; <i>Browsing</i> - whiterail deer
<i>Peltandra virginica</i>	Arrow Arum	<i>Food (seeds)</i> - wood duck, rails, marsh and shorebirds
<i>Sparganium americanum</i>	Bur-reed	<i>Food (seeds)</i> - ducks, whistling swan, muskrat, beaver; <i>Food (plants)</i> - muskrat, Canada goose
<i>Sparganium eurycarpum</i>	Bur-reed	<i>Food (seeds)</i> - ducks, whistling swan, ring-necked pheasant, beaver; <i>Food (plants)</i> - muskrat, Canada goose, whiterail deer; <i>Cover</i> - marshbirds, waterfowl
<i>Zizaniopsis miliacea</i>	Wild Rice	<i>Food (seeds, plant parts, rootstocks)</i> - ducks, red-winged blackbird, rails, bobolink, muskrat

Zone 4. Shallow Water (permanent water 0 to 6 inches deep)

Herbaceous

<i>Acorus calamus</i>	Sweet Flag	<i>Food (rhizomes) and Cover</i> - many species of waterfowl, muskrat
<i>Alisma plantago-aquatica</i>	Water Plantain	<i>Food (nutlets)</i> - waterfowl, pheasant
<i>Dulichium arundinaceum</i>	Three Way Sedge	<i>Food</i> - muskrat
<i>Iris versicolor</i>	Blueflag Iris	<i>Food</i> - muskrat, marsh birds
<i>Juncus effusus</i>	Soft Rush	<i>Food</i> - upland gamebirds, marsh birds, songbirds, water fowl, muskrat (sparingly); <i>Spawning grounds</i> - rock bass, bluegills; <i>Cover</i> - waterfowl
<i>Juncus tenuis</i>	Slender Rush	<i>Food</i> - upland gamebirds, marsh birds, songbirds, waterfowl, muskrat (sparingly); <i>Spawning grounds</i> - rock bass, bluegills

<i>Peltandra virginica</i>	Arrow Arum	<i>Food</i> - wood duck, rails, other marsh birds, shorebirds
<i>Pontederia cordata</i>	Picketel Weed	<i>Food</i> - waterfowl, Canada goose, muskrat; <i>Cover</i> - fish
<i>Rumex verticillatus</i>	Water Dock	<i>Food (seeds)</i> - ruffed grouse, red-winged blackbird, hoary redpoll, grasshopper, song, swamp, tree, and white-crowned sparrows; <i>Food (leaves, plants)</i> - whitetail deer, cottontail
<i>Sagittaria latifolia</i>	Common Arrowhead	<i>Food (seeds, tubers, plants)</i> - ducks, swans, rails, muskrat, beaver
<i>Saururus cernuus</i>	Lizard's Tail	<i>Food</i> - wood duck
<i>Scirpus fluviatilis</i>	River Bulrush	<i>Cover and Food (seeds or rhizomes)</i> - ducks, geese, swans, shorebirds, rails, muskrat, fish; <i>Nesting</i> - bluegills, largemouth bass
<i>Scirpus validissimus</i>	Soft Stem Bulrush	<i>Cover and Food (seeds or rhizomes)</i> - ducks, geese, swans, shorebirds, rails, muskrat, fish; <i>Nesting</i> - bluegills, largemouth bass
Shrubs		
<i>Cephalanthus occidentalis</i>	Buttonbush	<i>Food (nutlets)</i> - ducks; <i>Food (twigs, foliage)</i> - whitetail deer; <i>Food (nectar)</i> - ruby-throated hummingbird; <i>Nesting</i> - Virginia rail, red-winged blackbird; <i>Attracts</i> - muskrat, beaver
<i>Salix discolor</i>	Pussy Willow	<i>Food (fruit, buds, flowers)</i> - beaver, whitetail deer, squirrels, snowshoe hare, cottontail, porcupine, muskrat, ducks, wild turkey, ruffed grouse, bobwhite, ring-necked pheasant; <i>Cover and</i>
<i>Typha angustifolia</i>	Nesting - songbirds Narrow-leaved Cattail*	<i>Food (seeds, rootstock)</i> - snow goose, treals, muskrat, beaver; <i>Cover and Nesting</i> - canvasback, gadwall, wood duck, marsh wren, red-winged blackbird, young fish; <i>Spawning grounds</i> - sunfish
Zone 5. Saturated Soil (irregularly, seasonally, or regularly inundated or saturated)		
Herbaceous		
<i>Calamagrostis canadensis</i>	Blue Joint Grass	<i>Food, Cover, Nesting, Grazing</i> - mammals; <i>Food (sprouts)</i> - whitetail deer
<i>Caltha palustris</i>	Marsh Marigold*	<i>Food (seeds)</i> - upland game birds
<i>Carex lacustris</i>	Lake Sedge	<i>Food</i> - rails, various sparrows, ruffed grouse, snipe, seed eating songbirds, snow bunting, larkspurs, redpoll, black duck
<i>Carex stipata</i>	Awl-fruited Sedge	<i>Food</i> - rails, various sparrows, ruffed grouse, snipe, seed eating songbirds, snow bunting, larkspurs, redpoll, black duck
<i>Carex stricta</i>	Tussock Sedge*	<i>Food</i> - rails, various sparrows, ruffed grouse, snipe, seed eating songbirds, snow bunting, larkspurs, redpoll, black duck
<i>Carex vulpinoides</i>	Fox Sedge	<i>Food</i> - rails, various sparrows, ruffed grouse, snipe, seed eating songbirds, snow bunting, larkspurs, redpoll, black duck
<i>Glyceria grandis</i>	Reed Meadow Grass	<i>Food</i> - waterfowl, muskrat; <i>Browsing</i> - whitetail deer
<i>Glyceria striata</i>	Fowl Mannagrass	<i>Food</i> - waterfowl, muskrat; <i>Browsing</i> - whitetail deer
<i>Juncus effusus</i>	Soft Rush	<i>Food (seeds)</i> - ducks, whistling swan, muskrat, beaver; <i>Food (fruit, leaves)</i> - ring-necked pheasant
<i>Juncus tenuis</i>	Slender Rush	<i>Food</i> - upland gamebirds, marshbirds, songbirds; <i>Food (bases, roots)</i> - muskrat; <i>Spawning grounds</i> - rock bass, bluegills
<i>Leersia oryzoides</i>	Rice Cutgrass	<i>Food (seeds)</i> - ducks, swamp and tree sparrow, sora rail; <i>Food (habitat for invertebrates)</i> - waterfowl, rails, herons; <i>Habitat</i> - fish, reptiles, amphibians
<i>Onoclea sensibilis</i>	Sensitive Fern	<i>Food (leaves)</i> - upland gamebirds, snowshoe hare, whitetail deer

<i>Panicum virgatum</i>	Switchgrass	<i>Food (seeds, young foliage)</i> - reals, wigeon, black duck, snow goose; <i>Food (seeds)</i> - snipe, bobwhite, wild turkey, various songbirds; <i>Food (plants)</i> - muskrat, cottontail, whiterail deer
<i>Scirpus cyperinus</i>	Wool Grass	<i>Cover and Food (seeds or rhizomes)</i> - ducks, geese, trumpeter swan, shorebirds, rails, snipe, muskrat, fish; <i>Nesting</i> - bluegills, largemouth bass
<i>Scirpus fluviatilis</i>	River Bulrush	<i>Cover and Food (seeds or rhizomes)</i> - ducks, geese, trumpeter swan, shorebirds, rails, snipe, muskrat, fish; <i>Nesting</i> - bluegills, largemouth bass
<i>Scirpus validus</i>	Soft Stem Bulrush	<i>Cover and Food (seeds or rhizomes)</i> - ducks, geese, trumpeter swan, shorebirds, rails, snipe, muskrat, fish; <i>Nesting</i> - bluegills, largemouth bass
<i>Symplocarpus foetidus</i>	Skunk Cabbage*	<i>Food (fruit, leaves)</i> - ring-necked pheasant
Shrubs		
<i>Ahnus rugosa</i>	Speckled Alder*	<i>Food (seeds or buds)</i> - songbirds; <i>Food (seeds) and Cover</i> - ducks, wild turkey, ring-necked pheasant, songbirds; <i>Nesting and/or Cover</i> - songbirds, American woodcock, beaver
<i>Corinus ammonum</i>	Silky Dogwood*	<i>Food (fruit, twigs, leaves)</i> - wild turkey, ruffed grouse, bobwhite, ring-necked pheasant, songbirds, whitetail deer, beaver, cottontail, woodchuck, raccoon, squirrels; <i>Cover and Food</i> - wood goldfinch
<i>Corinus sericea</i>	Red-osier Dogwood*	<i>Nesting and Cover</i> - gray catbird, American song sparrow; <i>Nesting and Cover</i> - gray catbird, American goldfinch
<i>Ilex verticillata</i>	Common Winterberry	<i>Food</i> - songbirds, ring-necked pheasant, whitetail deer, wild turkey, beaver, ruffed grouse, bobwhite, cottontail, snowhwoe hair, woodchuck, racoon; <i>Nesting and Cover</i> - American goldfinch
<i>Lindera benzoin</i>	Spicebush	<i>Food (berries)</i> - songbirds, black duck, bobwhite, cottontail, raccoon, squirrels, ruffed grouse, ring-necked pheasant, whitetail deer; <i>Food, Cover, Nesting</i> - very, red-winged blackbird
<i>Sambucus canadensis</i>	Elderberry	<i>Food</i> - songbirds, bobwhite, cottontail, raccoon, squirrels, ruffed grouse, ring-necked pheasant, wild turkey; <i>Browsing</i> - whitetail deer
<i>Viburnum recognitum</i>	Arrowwood	<i>Food (fruit) and/or Cover (Some Nesting)</i> - many songbirds; <i>Food (twigs, leaves)</i> - whitetail deer
<i>Food (fruit)</i> - songbirds, small mammals; <i>Food (fruit) and Cover and/or Nesting</i> - ruffed grouse, brown thrasher, gray catbird		
Trees		
<i>Acer negundo</i>	Boxelder	<i>Food (seeds)</i> - ring-necked pheasant, songbirds, waterbirds, squirrels, mice; <i>Cover and Nesting - songbirds; Food (young twigs, leaves)</i> - whitetail deer
<i>Acer rubrum</i>	Red Maple	<i>Food (seeds, sap, or buds)</i> - bobwhite, songbirds, waterbirds, squirrels, chipmunk; <i>Cover and Nesting - songbirds; Food (twigs, foliage)</i> - whitetail deer
<i>Acer saccharinum</i>	Silver Maple	<i>Food (seeds or buds)</i> - bobwhite, songbirds; <i>Cover and nesting - songbirds; Food (twigs, foliage)</i> - whitetail deer
<i>Fraxinus pennsylvanica</i>	Green Ash*	<i>Food (seeds)</i> - wood duck, bobwhite, songbirds; <i>Cover and nesting - songbirds; Food (sap)</i> - yellow-bellied sapsucker; <i>Cover and Nesting - songbirds; Browning</i> - whitetail deer
<i>Nyssa sylvatica</i>	Black gum	<i>Food (fruit)</i> - wood duck, songbirds, fox, bear; <i>Hollow Trunks</i> - raccoon, owls; <i>Food (twigs, foliage)</i> - whitetail deer, beaver
<i>Populus deltoides</i>	Eastern Cottonwood*	<i>Food (buds, catkins)</i> - ruffed grouse, songbirds, upland gamebirds, waterfowl; <i>Food (sap)</i> - yellow-bellied sapsucker; <i>Food (bark, foliage)</i> - aquatic and terrestrial furbearers, small mammals,

<i>Quercus bicolor</i>	Swamp White Oak	<i>Food (acorns, buds)</i> - waterfowl, marsh birds, shorebirds, upland gamebirds, songbirds, raccoon, squirrel, chipmunk, white-footed mouse; <i>Food (twigs, foliage, acorns)</i> - whitetail deer
<i>Quercus rubra</i>	Northern Red Oak	<i>Food (fruit, buds, flowers)</i> - beaver, whitetail deer, squirrel, snowshoe hare, cottontail, porcupine, muskrat, ducks, wild turkey, ruffed grouse, bobwhite, ring-necked pheasant, songbirds;
<i>Salix nigra</i>	Black Willow*	<i>Food (buds)</i> - red squirrel; <i>Food (brouse)</i> - snowshoe hare, cottontail, whitetail deer; <i>Food (seeds)</i> - pine siskin; <i>Cover</i> - many species
<i>Thuja occidentalis</i>	<i>Cover and Nesting</i> - songbirds Northern White Cedar*	<i>Food (seeds and/or buds or sap)</i> - wood duck, wild turkey, ruffed grouse, bobwhite, ring-necked pheasant, songbirds; <i>Cover and/or Nesting</i> - songbirds; <i>Food (brouse)</i> - whitetail deer, beaver
<i>Ulmus americana</i>	American Elm	

* - Plants that occur in the existing wetlands to the east and west of the quarry operation and could be transplanted into or become established in the reclamation area via the transport of reproductive parts by wildlife and/or wind.

SOURCE: Barb Reuter, Biologist, The Environmental Collaborative (2002)